



POLIZEI
Hamburg

Pre-Arrival Report XML-Description

IT 22
Carl-Cohn-Straße39
22297 Hamburg

E-Mail: portsecurity@poststelle.hamburg.de
Internet: <http://portsecurity.hamburg.de>

Version: 1.3 (10.12.2013)

1. General Information	3
1.1 Internet	3
1.2 Revision.....	3
1.3 List of abbreviations	3
2. Description.....	4
2.1 XML-Declaration.....	4
2.2 Root	4
2.3 Nodes	4
2.3.1 Information about the declaration	4
2.3.2 Responsible for the pre-arrival report.....	5
2.3.3 Ship data.....	6
2.3.4 Voyage information	6
2.3.5 Crew list	8
2.3.6 Non crew (passenger) list	9
2.3.7 Stowaway list	11
2.3.8 Arms and ammunition list	12
2.4 List of identity documents	13

1. General Information

1.1 Internet

Please visit <http://portsecurity.hamburg.de> for information about the pre-arrival report.

1.2 Revision

Version	Date	Changed Chapters	Reason
1.0	15.12.2006		Preparation of the manual
1.1	12.04.2007	2.3.5-2.3.6	Schengen Visa Expiry Date (removed)
1.2	07.05.2007	2.3.5-2.3.7	Given name required (if available)
1.3	10.12.2013	2.3.6-2.3.7 2.3.1	embarkPortCode(removed) debarkPortCode(removed) createdDateTime (removed)

1.3 List of abbreviations

ETA	Estimated time of arrival
UN/Locode	5-letter location codes by UNECE ¹
ISO – country code	2-letter codes for countries according to ISO 3166-2 ²

¹<http://www.unece.org/cefact/locode/welcome.html>

²http://www.iso.org/iso/country_codes

2. Description

2.1 XML-Declaration

```
<?xml version="1.0" encoding="iso-8859-1"?>
```

2.2 Root

Tag name: declaration

Sample:

```
<declaration>  
</declaration>
```

2.3 Nodes

2.3.1 Information about the declaration

Element-Name: **declarationDetails**

Occurrence: 1

2.3.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
version	4	1-1	Version number (version at revision)
arrivalDate	-	1-1	ETA at port of destination Format: YYYY-MM-DD
arrivalPortName	50	1-1	Port of destination
arrivalPortCode	5	1-1	UN/Locode of port of destination

Sample:

```
<declarationDetails>  
<version>1.3</version>  
<arrivalDate>2006-11-13</arrivalDate>  
<arrivalPortName>Hamburg</arrivalPortName>
```

<arrivalPortCode>DEHAM</arrivalPortCode>
</declarationDetails>

2.3.2 Responsible for the pre-arrival report

Element-Name: **originator**

Occurrence: 1

2.3.2.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
originatorName	50	0-1	Name of person/organisation
relationship	25	0-1	Relationship to ship (master, agent, etc.)
phone	25	0-1	Phone number
fax	25	0-1	Fax number
emailAdress	30	0-1	E-mail of person/organisation

Sample:

```
<originator>  
<originatorName>Hans Hansen</originatorName>  
<relationship>Agent</relationship>  
<phone />  
<fax />  
<emailAdress>hans.hansen@agent.com</emailAdress>  
</originator>
```

2.3.3 Ship data

Element-Name: **vessel**

Occurrence: 1

2.3.3.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
vesselName	30	1-1	Name of vessel
callSign	10	1-1	Call sign
imoNum	10	1-1	IMO number
flagName	50	1-1	Nationality (flag)
flagCode	2	1-1	ISO – country code of nationality (flag)

Sample:

```
<vessel>  
<vesselName>Lisa</vesselName>  
<callSign>PAPA</callSign>  
<imoNum>999888777</imoNum>  
<flagName>Panama</flagName>  
<flagCode>PA</flagCode>  
</vessel>
```

2.3.4 Voyage information

Listing of the last ten ports of call

Element-Name: **portOfCallList**

Occurrence: 1

2.3.4.1 Element

Element-Name: **portOfCall**

Occurrence: unbounded

2.3.4.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
arrivalDate	-	1-1	Arrival date Format: YYYY-MM-DD
departureDate	-	1-1	Departure date Format: YYYY-MM-DD
portOfCallName	50	1-1	Port of call
portOfCallCode	5	1-1	UN/Locode of port of call

Sample:

```

<portOfCallList>
<portOfCall>
<arrivalDate>2006-11-12</arrivalDate>
<departureDate>2006-11-12</departureDate>
<portOfCallName>Bremen</portOfCallName>
<portOfCallCode>DEBRE</portOfCallCode>
</portOfCall>
<portOfCall>
<arrivalDate>2006-11-10</arrivalDate>
<departureDate>2006-11-10</departureDate>
<portOfCallName>Rotterdam</portOfCallName>
<portOfCallCode>NLRTM</portOfCallCode>
</portOfCall>
</portOfCallList>

```

2.3.5 Crew list

Element-Name: **crewList**

Occurrence: 1

2.3.5.1 Element

Element-Name: **crew**

Occurrence: unbounded

2.3.5.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
position	50	0-1	Position/rank on board
lastName	100	1-1	Family name
firstName	100	1*-1	Given name
middleName	100	0-1	Middle name
birthDate	-	1-1	Date of birth Format: YYYY-MM-DD
birthPlaceName	50	1-1	Place of birth
nationalityName	50	1-1	Nationality
nationalityCode	2	1-1	ISO – country code of nationality
identDescription	-	1-1	Kind of identity docu- ment (see list of identity documents at end)
identNum	50	1-1	Number of identity doc- ument

schengenVisaNum	50	1*-1	Number of Schengen Visa
-----------------	----	------	-------------------------

* if available

Sample:

```

<crewList>
<crew>
<position>Master</position>
<lastName>Jackson</lastName>
<firstName>Jack</firstName>
<middleName/>
<birthDate>1967-08-13</birthDate>
<birthPlaceName>Manila</birthPlaceName>
<nationalityName>Philippines</nationalityName>
<nationalityCode>PH</nationalityCode>
<identDescription>passport</identDescription>
<identNum>123456789</identNum>
<schengenVisaNum>DE987654321</schengenVisaNum>
</crew>
</crewList>

```

2.3.6 Non crew (passenger) list

Element-Name: **nonCrewList**

Occurrence: 0-1

2.3.6.1 Element

Element-Name: **nonCrew**

Occurrence: unbounded

2.3.6.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
lastName	100	1-1	Family name
firstName	100	1*-1	Given name
middleName	100	0-1	Middle name
birthDate	-	1-1	Date of birth Format: YYYY-MM-DD

birthPlaceName	50	1-1	Place of birth
nationalityName	50	1-1	Nationality
nationalityCode	2	1-1	ISO – country code of nationality
identDescription	-	1-1	Kind of identity document (see list of identity documents at end)
identNum	50	1-1	Number of identity document
schengenVisaNum	50	1*-1	Number of Schengen Visa
embarkPortName	50	1-1	Port of embarkation
debarkPortName	50	1-1	Port of disembarkation

* if available

Sample:

```

<nonCrewList>
<nonCrew>
<lastName>Knutsen</lastName>
<firstName>Knut</firstName>
<middleName/>
<birthDate>1967-08-17</birthDate>
<birthPlaceName>Hamburg</birthPlaceName>
<nationalityName>Germany</nationalityName>
<nationalityCode>DE</nationalityCode>
<identDescription>identity card</identDescription>
<identNum>54637281</identNum>
<schengenVisaNum/>
<embarkPortName>Bremen</embarkPortName>
<debarkPortName>Helsinki</debarkPortName>
</nonCrew>
</nonCrewList>

```

2.3.7 Stowaway list

Element-Name: **stowawayList**

Häufigkeit (occurrence): 0-1

2.3.7.1 Element

Element-Name: **stowaway**

Occurrence: unbounded

2.3.7.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
lastName	100	1-1	Family name
firstName	100	1*-1	Given name
middleName	100	0-1	Middle name
birthDate	-	0-1	Date of birth Format: YYYY-MM-DD
birthPlaceName	50	0-1	Place of birth
nationalityName	50	0-1	Nationality
nationalityCode	2	0-1	ISO – country code of nationality
embarkPortName	50	1-1	Port of embarkation
debarkPortName	50	1-1	Port of disembarkation

* if available

Sample:

```
<stowawayList>  
<stowaway>  
<lastName>unknown</lastName>  
<firstName/>  
<middleName/>
```

```

<birthDate/>
<birthPlaceName/>
<nationalityName/>
<nationalityCode/>
<embarkPortName>Bremen</embarkPortName>
<debarkPortName>Helsinki</debarkPortName>
</stowaway>
</stowawayList>

```

2.3.8 Arms and ammunition list

With a list of the arms/ ammunition on board, the master also fulfils the requirements for an exemption from the reservation of a permission in terms of section10 subsections 3 and 4 of the (German) Weapons Act.

Element-Name: **weaponList**
 Occurrence: 0-1

2.3.8.1 Element

Element-Name: **weapon**
 Occurrence: unbounded

2.3.8.1.1 Elements

Element name	Length	required/ not required/ count required = 1, 1-n not required = 0, 0-n	Explanation
kindOfWeapon	25	0-1	Kind of weapon
calibres	10	0-1	Calibres
manufacturerTrademark	50	0-1	Manufacturer/trademark
model	25	0-1	Model
serialNum	50	0-1	Serial number

Sample:

```

<weaponList>
<weapon>
<kindOfWeapon>Pistol</kindOfWeapon>
<calibres>9mm</calibres>
<manufacturerTrademark>Halla</manufacturerTrademark>
<model>P6475</model>
<serialNum>364236-324-23432</serialNum>
</weapon>
</weaponList>

```

2.4 List of identity documents

Valid values are:

- passport
- seamans passport
- identity card